APPLICANT(S): BIEBER, Avigdor et al.

SERIAL NO.: 10/519,478

FILED: Page 2 December 30, 2004

## LISTING OF THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

- 1. (Previously Presented) A lithographic printing member comprising:
  - a base layer;
  - a laser-absorbing layer over said base layer, wherein said laser-absorbing layer has a gradient solid dispersion of metal and metal-oxide, forming varying concentration ratios of the metal and the metal-oxide throughout a thickness of said laser-absorbing layer, wherein the concentration ratio of the metal to metal oxide within the laser-absorbing layer is higher than the concentration ratio of the metal to metal oxide at both edges of the laser-absorbing layer so that less laser energy is needed for ablating the laser-absorbing layer than what would be needed for ablating a laser-absorbing layer without a gradient of concentration ratios; and
  - a coating layer over said laser-absorbing layer, said coating layer and said base layer having different affinities for ink.
  - wherein said printing member is capable of being imaged such that selective areas of said coating layer and of said laserabsorbing layer are removed to expose said base layer.
- (Original) The printing member of claim 1, wherein the metal is aluminum and the metal—oxide is aluminum-oxide.
- (Previously Presented) The printing member of claim 1, wherein at least some areas within the laser-absorbing layer have a nonstoichiometric ratio between the metal of the metal-oxide and the oxygen such that there are more metal atoms than the stoichiometric ratio.

APPLICANT(S): BIEBER, Avigdor et al. SERIAL NO.: 10/519.478

FILED:

Page 3

December 30, 2004

(Original) The printing member of claim 3, wherein the non-4. stoichiometric ratio varies throughout the thickness of said laserabsorbing layer.

- (Previously Presented) The printing member of claim 4, wherein the 5. non-stoichiometric ratio is bi-directional.
- 6. (Original) The printing member of claim 1, wherein the thickness of said laser-absorbing layer is in the range between 0.02 to 0.6 microns.
- 7. (Canceled).
- 8. (Original) The printing member of claim 1, wherein said coating layer is an ink-repelling layer.
- 9. (Original) The printing member of claim 1, wherein said coating layer comprises an ultraviolet curable material.
- 10. (Original) The printing member of claim 1 further comprising: a form film over said coating laver.
- (Original) The printing member of claim 10, wherein said form film is a 11. polymeric film with low surface energy.
- (Original) The printing member of claim 1 further comprising: 12. a primer layer over said laser-absorbing layer.

13 - 23. (Canceled)

APPLICANT(S): BIEBER, Avigdor et al. SERIAL NO.:

10/519,478

FILED:

December 30, 2004

Page 4

- 24. (Previously Presented) The printing member of claim 1, wherein said base layer comprises ink-accepting oleophilic properties.
- 25. (Previously Presented) The printing member of claim 1, wherein said base layer comprises polyvinylchloride, polycarbonate or polyethylene terephthalate.
- (Previously Presented) The printing member of claim 1, wherein said 26. coating layer comprises silicone epoxy oligomer or silicone acrylate oligomer.
- 27. (Canceled)